







Francois Rousies

Hallo Cordial-Freunde,

natürlich interessiert Euch, was neu ist bei CORDIAL. Für Euch haben wir die Qualität unserer Kabel weiter optimiert. Ein herausragendes Beispiel für noch zuverlässigere Übertragung und größere Langlebigkeit findet sich im vielfältigen Portfolio unserer Profikabel. Ob Daten- oder Stromversorgungskabel. Ob für Drinnen oder Draußen. Ob Meterware oder Konfektion. Profikabel von CORDIAL liefern immer – und immer auf dem allerhöchsten Level.

Auch unsere Top-Designkabel – METAL, ROAD und SKY – zeigen sich variantenreich. Sie sind ab sofort auch mit dem Silent-Plug erhältlich. Der verhindert lästiges Krachen beim Einstöpseln Eurer Instrumente und schont damit Euren Amp.

Mit unserer brandneuen Produktlinie CEON betreten wir zu guter Letzt eine ganz andere Spielwiese: die der Turntables, fetten Beats und kühlen Cuts. Nachdem die ersten DJs unsere neon-farbenen Zwillingskabel in den Clubs getestet hatten, fiel das Urteil ziemlich unzweideutig aus: „Klares Must-Have!“

Hi CORDIAL friends,

interested in what's new at CORDIAL? We've further optimized the quality of our cables. Among the vast and versatile range of our professional cables you'll find lots of models with an even enhanced transmission reliability and durability. Be it data or power supply cables, outdoor or indoor equipment, bulk cables or ready-made ones – you name it – CORDIAL will provide the professional, top level solution.

We have also significantly and distinctly improved our top design cables – our METAL, ROAD and SKY model ranges – which now also feature our innovative Silent Plugs. The Silent Plug effectively prevents any obnoxious crackling noise when you plug in your instrument with the amp under load and will thus enhance your amp's life span.

With our new product line CEON we're exploring a different dimension now, the playing field of turntables, fat beats and cool cuts. After having tested our neon-colored twin cables in clubs, DJs rendered the explicit, unambiguous verdict: "Must-Haves!"

Bleibt mit uns verbunden | Let's stay connected

Francois Rousies



SILENT is golden

Kein Krachen im Amp.


Ab sofort sind die CORDIAL Designkabel SKY, ROAD und METAL auch mit dem Silent-Plug erhältlich. Ein Ring am Steckerhals unterbricht das Signal für exakt jenen Moment, der das brummende Krachen auslöst.

Das schafft die ersehnte „Ruhe vor dem Sturm“.

No more unwanted, annoying amp noise!

As of now, CORDIAL's design cables SKY, ROAD und METAL feature our Silent Plug technology. A flip ring/silent switch based on REED technology mutes the signal, preventing any squealing, popping and/or crackling noise if required.





CSI PP-SILENT

encore |



Stage

Produktinformation Specification		
Kabel Cable	CGK 175	
Belegung Cable Assign	PP	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	Plug 6.3 mm mono gold SILENT Plug 6.3 mm mono gold	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
3.00	●	CSI 3 PP-SILENT
6.00	●	CSI 6 PP-SILENT
9.00	●	CSI 9 PP-SILENT

CSI RP-SILENT

encore |



Stage

Produktinformation Specification		
Kabel Cable	CGK 175	
Belegung Cable Assign	PP	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	Plug rectangular 6.3 mm mono gold SILENT Plug 6.3 mm mono gold	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
3.00	●	CSI 3 RP-SILENT
6.00	●	CSI 6 RP-SILENT
9.00	●	CSI 9 RP-SILENT

CXI RP-SNOW-SILENT

encore |



Stage

Produktinformation Specification		
Kabel Cable	CIK 122	
Belegung Cable Assign	PP	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	Plug rectangular 6.3 mm mono gold SILENT Plug 6.3 mm mono	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
3.00	○	CXI 3 RP-SNOW-SILENT
6.00	○	CXI 6 RP-SNOW-SILENT

CRI PP-SILENT

encore |



Stage

Produktinformation Specification		
Kabel Cable	CGK ROAD 75	
Belegung Cable Assign	PP	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	Plug 6.3 mm mono gold SILENT Plug 6.3 mm mono gold	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
3.00	●	CRI 3 PP-SILENT
6.00	●	CRI 6 PP-SILENT
9.00	●	CRI 9 PP-SILENT

CRI RP-SILENT

encore |



Stage

Produktinformation Specification		
Kabel Cable	CGK ROAD 75	
Belegung Cable Assign	PP	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	Plug rectangular 6.3 mm mono gold SILENT Plug 6.3 mm mono gold	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
3.00	●	CRI 3 RP-SILENT
6.00	●	CRI 6 RP-SILENT
9.00	●	CRI 9 RP-SILENT

CXI PP-SKY-SILENT

encore



Stage

Produktinformation | Specification

Kabel Cable	CIK 122 SKY	
Belegung Cable Assign	PP	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	Plug 6.3 mm mono gold SILENT Plug 6.3 mm mono	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
3.00		CRI 3 PP-SKY-SILENT
6.00		CRI 6 PP-SKY-SILENT
9.00		CRI 9 PP-SKY-SILENT

CSI PP-METAL-SILENT

encore



Stage

Produktinformation | Specification

Kabel Cable	CGK 175 METAL TRANSPARENT	
Belegung Cable Assign	PP	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	Plug 6.3 mm mono gold SILENT Plug 6.3 mm mono gold	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
3.00		CSI 3 PP-METAL-SILENT
6.00		CSI 6 PP-METAL-SILENT
9.00		CSI 9 PP-METAL-SILENT

CXI RP-SKY-SILENT

encore



Stage

Produktinformation | Specification

Kabel Cable	CIK 122 SKY	
Belegung Cable Assign	PP	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	Plug 6.3 mm mono gold SILENT Plug 6.3 mm mono	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
3.00		CRI 3 RP-SKY-SILENT
6.00		CRI 6 RP-SKY-SILENT
9.00		CRI 9 RP-SKY-SILENT

CSI RP-METAL-SILENT

encore




Stage

Produktinformation | Specification

Kabel Cable	CGK 175 METAL TRANSPARENT	
Belegung Cable Assign	PP	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	Plug rectangular 6.3 mm mono gold SILENT Plug 6.3 mm mono gold	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
3.00		CSI 3 RP-METAL-SILENT
6.00		CSI 6 RP-METAL-SILENT
9.00		CSI 9 RP-METAL-SILENT

Warnhinweis | Safety Notice

Nicht in den Verstärkerausgang stecken / Funktioniert nicht, wenn die Klinkenstecker die Stromversorgung der Gitarre aktivieren
 Do not plug into amplifier output / Not effective when tip-ring-sleeve jacks activate guitar power supply



Wer Meterware oder konfektionierte Profikabel von Cordial für Events, Live-Gigs und Installationen nutzt, der weiß, dass er sich immer auf hohe Leistungsstärke, überragende Flexibilität und Haltbarkeit verlassen kann. Unter allen Umständen und bei allen Kabellängen. Unser umfangreiches Produktsortiment bietet für jede Anwendung das optimale Kabel. Sei es für die Datenübertragung oder die Stromversorgung für Lautsprecher-systeme und ... und ... und!

The one who uses professional CORDIAL bulk or ready-made cables for all kinds of events, live gigs and installations knows that he can rely on supreme products come what may. No matter how long the cable runs – we will always ensure high performance levels, supreme flexibility and durability. No matter what the purpose, you can sort through our extensive product range and will always find your optimal cable – be it in the field of data transmission or speaker power supply or ... or ... or!

multiple solutions ...



CFCA S



peak

Stage

CFCA FCB



peak

Stage

Produktinformation | Specification

Kabel | Cable H 05 VV F3G1.50

Belegung | Cable Assign

Steckermarke | Plug Brand NEUTRIK

Stecker | Plug PowerCON blue type A power in | CEE 7/7

Länge Length	Farbe Colour	Bestell-Nr. Part No.
1.50	●	CFCA 1.5 S
3.00	●	CFCA 3 S
5.00	●	CFCA 5 S
10.00	●	CFCA 10 S

Do not plug under load.

Produktinformation | Specification

Kabel | Cable H 05 VV F3G1.50

Belegung | Cable Assign FCAFCB

Steckermarke | Plug Brand NEUTRIK

Stecker | Plug PowerCON blue type A power in | PowerCON grey type B power out

Länge Length	Farbe Colour	Bestell-Nr. Part No.
1.50	●	CFCA 1.5 FCB
3.00	●	CFCA 3 FCB
5.00	●	CFCA 5 FCB
10.00	●	CFCA 10 FCB

Do not plug under load.

CFCA SRC



peak

Stage

Produktinformation | Specification

Kabel | Cable H 05 VV F3G1.50

Belegung | Cable Assign

Steckermarke | Plug Brand NEUTRIK

Stecker | Plug PowerCON blue type A power in | CEE 7/7 rectangular

Länge Length	Farbe Colour	Bestell-Nr. Part No.
1.50	●	CFCA 1.5 SRC
3.00	●	CFCA 3 SRC

Do not plug under load.

CFCA S-TRUE1

peak



Stage/Outdoor
Titanex® cable
Dust & water resistant (IP65)
Can be plugged under load
on PowerCON TRUE1
side only

Produktinformation | Specification

Kabel | Cable H 07 RN F3G1.50

Belegung | Cable Assign FCAFCB

Steckermarke | Plug Brand NEUTRIK

Stecker | Plug PowerCON TRUE1 power in | CEE 7/7

Länge Length	Farbe Colour	Bestell-Nr. Part No.
1.50	●	CFCA 1.5 S-TRUE
3.00	●	CFCA 3 S-TRUE
5.00	●	CFCA 5 S-TRUE
10.00	●	CFCA 10 S-TRUE

CFCA FCB-TRUE1

peak



Stage/Outdoor
Titanex® cable
Dust & water resistant (IP65)
Can be plugged under load

Produktinformation | Specification

Kabel | Cable H 07 RN F3G1.50

Belegung | Cable Assign FCAFCB

Steckermarke | Plug Brand NEUTRIK

Stecker | Plug PowerCON TRUE1 power in | PowerCON TRUE1 power out

Länge Length	Farbe Colour	Bestell-Nr. Part No.
1.50	●	CFCA 1.5 FCB-TRUE
3.00	●	CFCA 3 FCB-TRUE
5.00	●	CFCA 5 FCB-TRUE
10.00	●	CFCA 10 FCB-TRUE

CFCA S-TRUE1-PVC

peak



Stage
Can be plugged under load
on PowerCON TRUE1
side only

Produktinformation | Specification

Kabel | Cable H 05 VV F3G1.50

Belegung | Cable Assign FCAFCB

Steckermarke | Plug Brand NEUTRIK

Stecker | Plug PowerCON TRUE1 power in | CEE 7/7

Länge Length	Farbe Colour	Bestell-Nr. Part No.
1.50	●	CFCA 1.5 S-TRUE-PVC
3.00	●	CFCA 3 S-TRUE-PVC
5.00	●	CFCA 5 S-TRUE-PVC
10.00	●	CFCA 10 S-TRUE-PVC

CPH DMX 1-5 PWR 1

peak



Stage
Efficient laying of
Power DMX connections
5-pole DMX

Produktinformation Specification		
Kabel Cable	CDP 1	
Belegung Cable Assign	CPH_DMX1-5 PWR1	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	XLR F 5-pol. / PowerCON blue A in XLR M 5-pol. / PowerCON grey B out	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
1.50	●	CPH 1.5 DMX 1-5 PWR 1
3.00	●	CPH 3 DMX 1-5 PWR 1
5.00	●	CPH 5 DMX 1-5 PWR 1
10.00	●	CPH 10 DMX 1-5 PWR 1

Do not plug under load (PowerCON).

CPH DMX 1 PWR 1

peak



Stage
Efficient laying of
Power DMX connections

Produktinformation Specification		
Kabel Cable	CDP 1	
Belegung Cable Assign	CPH_DMX1 PWR1	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	XLR F 3-pol. / PowerCON blue A in XLR M 3-pol. / PowerCON grey B out	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
1.50	●	CPH 1.5 DMX 1 PWR 1
3.00	●	CPH 3 DMX 1 PWR 1
5.00	●	CPH 5 DMX 1 PWR 1
10.00	●	CPH 10 DMX 1 PWR 1

Do not plug under load (PowerCON).

CDX FN 3 QUAD-DMX

peak



3 pole
Adapter 4x DMX
to 1x etherCON socket

Allows utilizing
Ethernet cable for
DMX transmission

Produktinformation Specification		
Kabel Cable	Intro cable 9	
Belegung Cable Assign	F3H	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	4x XLR-female etherCON socket	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.70	●	CDX 0.7 FN 3 QUAD-DMX

CDX MN 3 QUAD-DMX



peak

3 pole
Adapter 4x DMX
to 1x etherCON socket

Allows utilizing
Ethernet cable for
DMX transmission

Produktinformation | Specification

Kabel Cable	Intro cable 9	
Belegung Cable Assign	M3H	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	4x XLR-male etherCON socket	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.70	●	CDX 0.7 MN 3 QUAD-DMX

CDX MN 5 QUAD-DMX



peak

5 pole
Adapter 4x DMX
to 1x etherCON socket

Allows utilizing
Ethernet cable for
DMX transmission

Produktinformation | Specification

Kabel Cable	Intro cable 9	
Belegung Cable Assign	M3H	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	4x XLR-male etherCON socket	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.70	●	CDX 0.7 MN 5 QUAD-DMX

CDX FN 5 QUAD-DMX



peak

5 pole:
Adapter 4x DMX
to 1x etherCON socket

Allows utilizing
Ethernet cable for
DMX transmission

Produktinformation | Specification

Kabel Cable	Intro cable 9	
Belegung Cable Assign	F3H	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	4x XLR-female etherCON socket	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.70	●	CDX 0.7 FN 5 QUAD-DMX

CSE NN 5

encore



Stage
Sample Application:
Controller Connection
Digital Media Network

Produktinformation Specification		
Kabel Cable	CCAT 5	
Belegung Cable Assign	HH	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	etherCON carrier etherCON carrier	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.30	●	CSE 0.3 NN 5
0.50	●	CSE 0.5 NN 5
1.00	●	CSE 1 NN 5
2.50	●	CSE 2.5 NN 5
5.00	●	CSE 5 NN 5
10.00	●	CSE 10 NN 5
15.00	●	CSE 15 NN 5
20.00	●	CSE 20 NN 5

Mit zwei transparenten Schrumpfschläuchen zur freien Kennzeichnung der Kabelenden | With two transparent heat shrink tubes for free labeling of cable heads

CSE NH 5

encore



Stage
Sample Application:
Laptop to Controller

Produktinformation Specification		
Kabel Cable	CCAT 5	
Belegung Cable Assign	HH	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	etherCON carrier RJ 45	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.30	●	CSE 0.3 NH 5
0.50	●	CSE 0.5 NH 5
1.00	●	CSE 1 NH 5
2.50	●	CSE 2.5 NH 5
5.00	●	CSE 5 NH 5
10.00	●	CSE 10 NH 5
15.00	●	CSE 15 NH 5
20.00	●	CSE 20 NH 5

Mit zwei transparenten Schrumpfschläuchen zur freien Kennzeichnung der Kabelenden | With two transparent heat shrink tubes for free labeling of cable heads

CSE HH 5

encore



Stage
Sample Application:
Switch/Router Patchcable

Produktinformation Specification		
Kabel Cable	CCAT 5	
Belegung Cable Assign	HH	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	RJ 45 RJ 45	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.30	●	CSE 0.3 HH 5
0.50	●	CSE 0.5 HH 5
1.00	●	CSE 1 HH 5
2.50	●	CSE 2.5 HH 5
5.00	●	CSE 5 HH 5
10.00	●	CSE 10 HH 5
15.00	●	CSE 15 HH 5
20.00	●	CSE 20 HH 5

Mit zwei transparenten Schrumpfschläuchen zur freien Kennzeichnung der Kabelenden | With two transparent heat shrink tubes for free labeling of cable heads

CSE NN 5 D

encore



Stage
Stagedrum Removable

Produktinformation | Specification

Kabel Cable	CCAT 5	
Belegung Cable Assign	HH	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	etherCON carrier etherCON carrier	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
25.00	●	CSE 25 NN 5 D
50.00	●	CSE 50 NN 5 D
75.00	●	CSE 75 NN 5 D
100.00	●	CSE 100 NN 5 D

Mit zwei transparenten Schrumpfschläuchen zur freien Kennzeichnung der Kabelenden | With two transparent heat shrink tubes for free labeling of cable heads

CSE NN 5 SD

encore



Stage
Stagedrum 2m
spooled outside

Produktinformation | Specification

Kabel Cable	CCAT 5	
Belegung Cable Assign	HH	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	etherCON carrier etherCON carrier	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
25.00	●	CSE 25 NN 5 SD
50.00	●	CSE 50 NN 5 SD
75.00	●	CSE 75 NN 5 SD
100.00	●	CSE 100 NN 5 SD

Mit zwei transparenten Schrumpfschläuchen zur freien Kennzeichnung der Kabelenden | With two transparent heat shrink tubes for free labeling of cable heads

Also available with lockable door.

CSE NN 5 SD 1

encore



Stage
Stagedrum with Socket

Produktinformation | Specification

Kabel Cable	CCAT 5	
Belegung Cable Assign	HH	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	etherCON carrier etherCON socket	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
25.00	●	CSE 25 NN 5 SD 1
50.00	●	CSE 50 NN 5 SD 1
75.00	●	CSE 75 NN 5 SD 1
100.00	●	CSE 100 NN 5 SD 1

Mit zwei transparenten Schrumpfschläuchen zur freien Kennzeichnung der Kabelenden | With two transparent heat shrink tubes for free labeling of cable heads



CSE NN 7

encore



Stage
Sample Application:
Controller Connection
Digital Media Network

Produktinformation | Specification

Kabel Cable	CCAT 7	
Belegung Cable Assign	HH	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	etherCON carrier etherCON carrier	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
5.00	●	CSE 5 NN 7
10.00	●	CSE 10 NN 7
15.00	●	CSE 15 NN 7
20.00	●	CSE 20 NN 7

Mit zwei transparenten Schrumpfschläuchen zur freien Kennzeichnung der Kabelenden | With two transparent heat shrink tubes for free labeling of cable heads

CSE NH 7

encore



Stage
Sample Application:
Laptop to Controller

Produktinformation | Specification

Kabel Cable	CCAT 7	
Belegung Cable Assign	HH	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	etherCON carrier RJ 45	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
5.00	●	CSE 5 NH 7
10.00	●	CSE 10 NH 7
15.00	●	CSE 15 NH 7
20.00	●	CSE 20 NH 7

Mit zwei transparenten Schrumpfschläuchen zur freien Kennzeichnung der Kabelenden | With two transparent heat shrink tubes for free labeling of cable heads

CSE HH 7

encore



Stage
Sample Application:
Switch/Router Patchcable

Produktinformation | Specification

Kabel Cable	CCAT 7	
Belegung Cable Assign	HH	
Steckermarke Plug Brand		
Stecker Plug	RJ 45 RJ 45	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.30	●	CSE 0.3 HH 7
0.50	●	CSE 0.5 HH 7
2.50	●	CSE 2.5 HH 7
5.00	●	CSE 5 HH 7
10.00	●	CSE 10 HH 7

Mit zwei transparenten Schrumpfschläuchen zur freien Kennzeichnung der Kabelenden | With two transparent heat shrink tubes for free labeling of cable heads

CSE NN 7 D



encore

Stage
Stagedrum Removable

CSE NN 7 LONG-RUN-SD



encore

Stage
Stagedrum 4 m
spooled outside
Long Distance, High Speed

Produktinformation | Specification

Kabel Cable	CCAT 7	
Belegung Cable Assign	HH	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	etherCON carrier etherCON carrier	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
25.00	●	CSE 25 NN 7 D
50.00	●	CSE 50 NN 7 D
75.00	●	CSE 75 NN 7 D
100.00	●	CSE 100 NN 7 D

Mit zwei transparenten Schrumpfschläuchen zur freien Kennzeichnung der Kabelenden | With two transparent heat shrink tubes for free labeling of cable heads

Produktinformation | Specification

Kabel Cable	CCAT 7A LONG-RUN	
Belegung Cable Assign	HH	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	etherCON CAT 6A etherCON CAT 6A	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
75.00	●	CSE 75 NN 7A LONG-RUN-SD
100.00	●	CSE 100 NN 7A LONG-RUN-SD
125.00	●	CSE 125 NN 7A LONG-RUN-SD
150.00	●	CSE 150 NN 7A LONG-RUN-SD

Mit zwei transparenten Schrumpfschläuchen zur freien Kennzeichnung der Kabelenden | With two transparent heat shrink tubes for free labeling of cable heads

CSE NN 7 SD



encore

Stage
Stagedrum 2 m
spooled outside

CSE HH 7 LONG-RUN-SD



encore

Stage
Stagedrum 4 m
spooled outside
Long Distance, High Speed

Produktinformation | Specification

Kabel Cable	CCAT 7	
Belegung Cable Assign	HH	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	etherCON carrier etherCON carrier	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
25.00	●	CSE 25 NN 7 SD
50.00	●	CSE 50 NN 7 SD
75.00	●	CSE 75 NN 7 SD
100.00	●	CSE 100 NN 7 SD

Mit zwei transparenten Schrumpfschläuchen zur freien Kennzeichnung der Kabelenden | With two transparent heat shrink tubes for free labeling of cable heads

Also available with lockable door.

Produktinformation | Specification

Kabel Cable	CCAT 7A LONG-RUN	
Belegung Cable Assign	HH	
Steckermarke Plug Brand	TELEGAERTNER	
Stecker Plug	RJ45 RJ45	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
75.00	●	CSE 75 HH 7A LONG-RUN-SD
100.00	●	CSE 100 HH 7A LONG-RUN-SD
125.00	●	CSE 125 HH 7A LONG-RUN-SD
150.00	●	CSE 150 HH 7A LONG-RUN-SD

CPA PHX

peak



Studio/Installation
Sample Application:
Patch Cable

Produktinformation | Specification

Kabel Cable	CMK 222		
Belegung Cable Assign	PHX		
Steckermarke Plug Brand	PHOENIX CONTACT		
Stecker Plug	Printed-circuit board connector Printed-circuit board connector		
Länge Length	Farbe Colour	Bestell-Nr. Part No.	
0.30	●	CPA PHX 0.3	
0.60	●	CPA PHX 0.6	
0.90	●	CPA PHX 0.9	
1.20	●	CPA PHX 1.2	
2.00	●	CPA PHX 2	

CVM 08-37 UHD-FLEX

UHD-Videokabel
UHD Video Cable



Stage
Ultra High
Definition Video
For Mobile Use

Produktinformation | Specification

Querschnitt Area	AWG 22		
Aufbau Composition	7 x 0.30 CU blank bare copper		
Widerstand Resistance	-		
Kapazität Capacity	55 pF/m		
Mantel Jacket	PVC matt PVC mat		
Farbe Colour	Ø	Gewicht Weight	Bestell-Nr. Part No.
●	5.9 ± 0.3 mm	68.5 g/m	CVM 08-37 UHD-FLEX

CVM 12-50 UHD-FLEX

UHD-Videokabel
UHD Video Cable



Stage
Ultra High
Definition Video
For Mobile Use

Produktinformation | Specification

Querschnitt Area	AWG 18		
Aufbau Composition	7 x 0.40 CU blank bare copper		
Widerstand Resistance	-		
Kapazität Capacity	55 pF/m		
Mantel Jacket	PVC matt PVC mat		
Farbe Colour	Ø	Gewicht Weight	Bestell-Nr. Part No.
●	7 ± 0.2 mm	81 g/m	CVM 12-50 UHD-FLEX

Choose your patch



Für Liebhaber analoger Synthesizer haben wir unsere CPI-Reihe aufgelegt: Mono-Kabel, mit deren Hilfe sich Oszillatoren, Filter und VCAs zu unverwechselbaren Sounds zusammenstöpseln lassen. Dabei zeichnen sich Patch-Kabel von CORDIAL nicht allein durch ihre Unverwüstlichkeit und lange Haltbarkeit aus. Sie sorgen auch dafür, dass der Sound eines modularen Synthesizers so typisch klingt, wie er einfach klingen soll. Stilecht.

We have developed our CPI model series especially for users who cherish analog synthesizers. Mono cables which will enable you to link oscillators, filters and VCAs to create your unmistakable, individual sounds. CORDIAL'S patch cables stand out not only because they are virtually indestructible but also because they make the modular synthesizer sound the way it should.



CPI PZ

peak



Stage/Studio
Sample Application:
Modular Instrument

Produktinformation | Specification

Kabel Cable	CIK 122	
Belegung Cable Assign	PP	
Steckermarke Plug Brand	REAN	
Stecker Plug	Plug 3.5 mm mono Plug 6.3 mm mono	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
1.00	●	CPI 1 PZ
2.00	●	CPI 2 PZ
3.00	●	CPI 3 PZ

CPI ZZ

peak



Stage/Studio
different colored
grommet per length
Sample Application:
Modular Instrument

Produktinformation | Specification

Kabel Cable	CSP 1	
Belegung Cable Assign	PP	
Steckermarke Plug Brand	REAN	
Stecker Plug	Plug 3.5 mm mono Plug 3.5 mm mono	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.15	● (Tülle Sleeve ■)	CPI 0.15 ZZ
0.30	● (Tülle Sleeve ■)	CPI 0.3 ZZ
0.60	● (Tülle Sleeve ■)	CPI 0.6 ZZ
0.90	● (Tülle Sleeve ■)	CPI 0.9 ZZ
1.20	● (Tülle Sleeve □)	CPI 1.2 ZZ

CPI ZZ-GREY

peak



Stage/Studio
different colored
grommet per length
Sample Application:
Modular Instrument

Produktinformation | Specification

Kabel Cable	CSP 1 GREY	
Belegung Cable Assign	PP	
Steckermarke Plug Brand	REAN	
Stecker Plug	Plug 3.5 mm mono Plug 3.5 mm mono	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.15	● (Tülle Sleeve ■)	CPI 0.15 ZZ-GREY
0.30	● (Tülle Sleeve ■)	CPI 0.3 ZZ-GREY
0.60	● (Tülle Sleeve ■)	CPI 0.6 ZZ-GREY
0.90	● (Tülle Sleeve ■)	CPI 0.9 ZZ-GREY
1.20	● (Tülle Sleeve □)	CPI 1.2 ZZ-GREY

Check one ...



Unsere CMK 234 Kabelmeterware ist extrem gefragt und nimmt einen Spitzenplatz unter den Mikrofonkabeln ein. Eine herausragende Eigenschaft ist neben der Langstreckentauglichkeit bei guter Flexibilität die hohe Soundtreue. Deshalb haben wir die Meterware mit hochwertigen Neutrik XLR-Steckern bestückt und so das CPM FM 234 neu in unser Programm aufgenommen.

Our CMK 234 bulk cable line is the extremely popular top-class mic cable. The cable's outstanding, distinctive characteristics are its perfect suitability for long cable runs combined with great flexibility and high sound fidelity. Accordingly, we have now extended our product range by the CPM FM 234, which is equipped with high-grade NEUTRIK XLR connectors.

CPM FM 234

peak



Stage/Studio/Installation
Mid-Range Distance

Produktinformation | Specification

Kabel Cable	CMK 234	
Belegung Cable Assign	FM	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	XLR-female XLR-male	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
2.50	●	CPM 2.5 FM 234
5.00	●	CPM 5 FM 234
7.50	●	CPM 7.5 FM 234
10.00	●	CPM 10 FM 234
20.00	●	CPM 20 FM 234







Photo by Tobir Oluwemi on Unsplash

DJ's choice ...



by  **CORDIAL**

www.ceon-cables.com

CEON DJ RCA Y



encore

DJ
DJ's choice
Sample Application:
CD Player, Turntable to Mixer
Effect Processor to Mixer
Mixer to Audio Interface

Produktinformation | Specification

Kabel Cable	CEON DUAL MONO	
Belegung Cable Assign	CC	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	2x Cinch/RCA gold 2x Cinch/RCA gold	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.60	●	CEON DJ RCA 0.6 Y
1.50	●	CEON DJ RCA 1.5 Y
3.00	●	CEON DJ RCA 3 Y

CEON DJ PLUG Y



encore

DJ
DJ's choice
Sample Application:
Audio Interface to Mixer

Produktinformation | Specification

Kabel Cable	CEON DUAL MONO	
Belegung Cable Assign	PP	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	2x Plug 6.3 mm mono gold 2x Plug 6.3 mm mono gold	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.60	●	CEON DJ PLUG 0.6 Y
1.50	●	CEON DJ PLUG 1.5 Y
3.00	●	CEON DJ PLUG 3 Y

CEON DJ RCA O



encore

DJ
DJ's choice
Sample Application:
CD Player, Turntable to Mixer
Effect Processor to Mixer
Mixer to Audio Interface

Produktinformation | Specification

Kabel Cable	CEON DUAL MONO	
Belegung Cable Assign	CC	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	2x Cinch/RCA gold 2x Cinch/RCA gold	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.60	●	CEON DJ RCA 0.6 O
1.50	●	CEON DJ RCA 1.5 O
3.00	●	CEON DJ RCA 3 O

CEON DJ PLUG O



encore

DJ
DJ's choice
Sample Application:
Audio Interface to Mixer

Produktinformation | Specification

Kabel Cable	CEON DUAL MONO	
Belegung Cable Assign	PP	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	2x Plug 6.3 mm mono gold 2x Plug 6.3 mm mono gold	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.60	●	CEON DJ PLUG 0.6 O
1.50	●	CEON DJ PLUG 1.5 O
3.00	●	CEON DJ PLUG 3 O

CEON DJ RCA G



encore

DJ
DJ's choice
Sample Application:
CD Player, Turntable to Mixer
Effect Processor to Mixer
Mixer to Audio Interface

Produktinformation | Specification

Kabel Cable	CEON DUAL MONO	
Belegung Cable Assign	CC	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	2x Cinch/RCA gold 2x Cinch/RCA gold	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.60	●	CEON DJ RCA 0.6 G
1.50	●	CEON DJ RCA 1.5 G
3.00	●	CEON DJ RCA 3 G

CEON DJ PLUG G



encore

DJ
DJ's choice
Sample Application:
Audio Interface to Mixer

Produktinformation | Specification

Kabel Cable	CEON DUAL MONO	
Belegung Cable Assign	PP	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	2x Plug 6.3 mm mono gold 2x Plug 6.3 mm mono gold	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.60	●	CEON DJ PLUG 0.6 G
1.50	●	CEON DJ PLUG 1.5 G
3.00	●	CEON DJ PLUG 3 G

CEON DJ PLUG-RCA Y

encore



DJ
DJ's choice
Sample Application:
Mixer to Audio Interface
Effect Processor to Mixer



Produktinformation | Specification

Kabel Cable	CEON DUAL MONO	
Belegung Cable Assign	PC	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	2x Cinch/RCA gold 2x Plug 6.3 mm mono gold	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.60	●	CEON DJ PLUG-RCA 0.6 Y
1.50	●	CEON DJ PLUG-RCA 1.5 Y
3.00	●	CEON DJ PLUG-RCA 3 Y

CEON DJ PLUG-RCA O

encore



DJ
DJ's choice
Sample Application:
Mixer to Audio Interface
Effect Processor to Mixer



Produktinformation | Specification

Kabel Cable	CEON DUAL MONO	
Belegung Cable Assign	PC	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	2x Cinch/RCA gold 2x Plug 6.3 mm mono gold	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.60	●	CEON DJ PLUG-RCA 0.6 O
1.50	●	CEON DJ PLUG-RCA 1.5 O
3.00	●	CEON DJ PLUG-RCA 3 O

CEON DJ PLUG-RCA G

encore



DJ
DJ's choice
Sample Application:
Mixer to Audio Interface
Effect Processor to Mixer



Produktinformation | Specification

Kabel Cable	CEON DUAL MONO	
Belegung Cable Assign	PC	
Steckermarke Plug Brand	NEUTRIK	
Stecker Plug	2x Cinch/RCA gold 2x Plug 6.3 mm mono gold	
Länge Length	Farbe Colour	Bestell-Nr. Part No.
0.60	●	CEON DJ PLUG-RCA 0.6 G
1.50	●	CEON DJ PLUG-RCA 1.5 G
3.00	●	CEON DJ PLUG-RCA 3 G

represented & serviced by:

 **CORDIAL**
we are cable

Cordial GmbH Sound & Audio Equipment

Otto-Hahn-Str. 20 · 85221 Dachau · Germany · phone +49 (0)8131.99697-0 · fax -29 · info@cordial-cables.com · www.cordial-cables.com

Stand 02.2018 · Konzept & Design: Marc Müller-Bremer ≈ rebranding.de | Text: king-daddy.com | Übersetzung: Hans Engels | Fotografie: anton-brandl.de |
Portraitfoto Seite 3: © SOMM/Wonique Wüstenhagen | Satz & Reinzeichnung: mcp-concept.de | Druck: tuchdruckmiesbach.de